




Section 22 T07N-R01W Clear Creek	Section 23 T07N-R01W Clear Creek
Section 27 T07N-R01W Clear Creek	Section 26 T07N-R01W Clear Creek

OTHER ACCESSORIES:


A 5' steel t-post was set 0.6' north of the stone with a Monroe County Surveyor Marker sign attached 2.1' above grade, facing north (away from the stone).

OTHER OBSERVATIONS:

The stone was found in line with the remains of east and west fence, at the top of a steep south slope, approximately 100' south of an old east/west road bed and approximately 475' east of the wooded east edge of Monroe Lake. We uncovered the top 5" of the stone and did not see any additional markings. We did not recover any of the witness monument ties from the 1994 Monument Record. We spray painted the stone and the axle orange on June 1, 2017.

NOTES:

- Field work was performed on March 29 and June 1, 2017.
- Monroe County Surveyor's Field Book 50, pages 17 and 49 .
- Project Name: ClearCreek2017, Field work by: RSO & CAR, Drawn by: RSO, Reviewed by: RSO & TER.
- Coordinates shown hereon were obtained from GPS observations utilizing the Indiana Real-Time Network (INCORS). Indiana West Zone, NAD83(2011) Epoch 2010.0000, State Plane Grid Coordinates, US Survey Feet. Geoid model G2012BU7. Datum NAD83_NO_TRANS.
- Coordinate data was collected with a Topcon Network Rover (PG-A1 antenna and GRS-1 data collector). Distances to witness ties were collected with a 100' cloth tape. Bearings to witness monument ties were measured with a 2° compass adjusted for declination and are approximately shown hereon for reference. Priority should be given to provided distances over bearings.
- Vicinity sketch was compiled per 2017 aerial photography.
- This document is not complete without the associated plat and report of survey for Section 27-T7N-R1W Corner Perpetuation by Rachel Oser, of the Monroe County Surveyor's Office, dated July 9th, 2019 and recorded as Instrument Number 2019009557 in the Monroe County Recorder's Office.





▲ **Monument Description:** 0.35' x 0.5' stone with a deep cut "+" extending across the entire top was found 0.1' above grade, with an axle adjacent to, flush with, and touching the stone on the south side.

State Plane Grid Coordinates: Point No.:730 Northing: 1374445.0', Easting: 3118951.7'

SHEET 1 OF 2	MONUMENT RECORD CORNER ID: CICr_Q17	Section Corner Section 22, 23, 26 & 27- T07N-R01W Clear Creek Township Monroe County, Indiana
-----------------------	---	---

MONROE COUNTY GOVERNMENT	OFFICE OF THE MONROE COUNTY SURVEYOR Trohn Enright-Randolph Monroe County Surveyor Rachel Savich Oser Professional Surveyor 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570
---------------------------------	---

Photos were taken on 03/29/2017 and 06/01/2017 with an iPhone 6s



Origin: The original GLO surveyor set a post at this corner. The Monroe County Surveyor, Alexander Spencer, began a legal survey at this corner in September of 1872 per (Reference Survey ID 000028 - Monroe County Survey Book 2, page 207), but he did not mention the type of monument found. Another Monroe County Surveyor, M. Buskirk, visited this corner, but did not describe it in 1881 and again in 1883 (Reference Survey ID 0000102 - Monroe County Survey Book 2, page 337 and Reference Survey ID 001335 - Monroe County Survey Book 2, page 384).

History: No modern surveys associated with this monument were found. This corner is shown with a red plus (generally indicating a known section corner monument) on the 1957 Allens Creek USGS quad map. This monument was witnessed by the Monroe County Surveyor, Michael Friley, on March 22, 1994 and officially entered into the Monument Record on March 28, 1994.



Trohn Enright-Randolph
Monroe County Surveyor

Accepted by the Monroe
County Surveyor Review Board
on August 6, 2019

Rachel Oser
Rachel Savich Oser, State of Indiana
Professional Surveyor No. 21100022

SHEET
2
OF
2

MONUMENT RECORD
CORNER ID:
CICr_Q17

Section Corner
Section 22, 23, 26 & 27- T07N-R01W
Clear Creek Township
Monroe County, Indiana



MONROE COUNTY SURVEYOR'S OFFICE
Trohn Enright-Randolph Monroe County Surveyor
Rachel Savich Oser Professional Surveyor
119 West 7th Street, Bloomington, IN 47404 (812) 349-2570

MONUMENT RECORD


Corner I.D. #

Q-17

STATE OF INDIANA - COUNTY OF MONROE

Section Twenty-three 23, Township 7 North, Range 1 West

Monument Description & Remarks: Found Stone marked with "X" with axle rod
adjacent to stone on south side. Stone was solid in ground, .5' x .35' x .3'
out of ground. Stone marks the SW corner of Section 23, T7N, R1W



State of Indiana
County of Monroe

Space
Reserved For
Recording
Officer

I, Michael W. Friley, County Surveyor, hereby certify
that this document was prepared under my direction in
accordance with the provisions of Section 17-3-64-4
through 17-3-64-8 of the Indiana Code, being Acts of 1965,
Chapter 319; and the above data is given under my hand and
seal this 28th day of March, 1994 A.D.

Indiana Registered Land Surveyor No. _____ or

Monroe County Surveyor's Office
United States Government Agency

Monroe County Surveyor
Title

Field Book:

94-01

Page:

3